

Green Synthesis and Biocompatibility of Titanium Nanoparticles

Varahalarao Vadlapudi

**Department of Biochemistry, Dr Lankapalli Bullayya P G College (Affiliated to Andhra university)
Visakhapatnam-530013, AP, India.*

ABSTRACT: Nanotechnology (NT) is a field that is mushrooming, making an impact in all spheres of human life. Presently available literature revealed that the Titanium dioxide (TiO_2) synthesis using medicinal plants, microorganisms and algae and others as source has been unexplored and underexploited. NT is very important in developing sustainable technologies for the future, for humanity and the environment. The development of green processes for the synthesis of TiO_2 NPs is evolving into an important branch of nanotechnology. Plant mediated synthesis of TiO_2 nanoparticles is gaining more importance owing to its simplicity, rapid rate of synthesis of NP of attractive and diverse morphologies and elimination of elaborate maintenance of cell cultures and ecofriendliness. The nontoxic and biocompatible properties of Titania find its applications in biomedical sciences such as bone tissue engineering as well as in pharmaceutical industries. This review presents a summary of green synthesis and biocompatibility of and a concise account of the *in vitro* toxicity data on TiO_2 nanoparticles. Presently, the researchers are looking into the development of cost-effective procedures for producing reproducible, stable and biocompatible metal NPs.

Keywords: Titanium dioxide, Nanoparticles, *In vitro* toxicity, Biocompatible.

INTRODUCTION

The word “nano” is used to indicate one billionth of a meter or 10^{-9} . Nanoparticles are clusters of atoms and their size from 1–100 nm. “Nano” is a Greek word meaning extremely small. Nanotechnology is a field that is vast in making an impact in all fields of human life. Nanobiotechnology can be used as alternative for chemical and physical methods of nanoparticles synthesis. Nano science and nanotechnology began in late 1959 with a talk entitled “*There’s Plenty of Room at the Bottom*” by physicist Richard Feynman at an American Physical Society conference, held at the Cal Tech. The term Nanotechnology (NT) was coined by Professor Norio Taniguchi of Tokyo Science University in the year 1974. Nanoparticles (NP) attract greater attention due to their various applications in different fields including “nanomedicine”. NPs can be broadly grouped into two, namely, organic nanoparticles which include carbon NPs where as some of the inorganic nanoparticles include magnetic NPs, semi-conductor nanoparticles (like

titanium oxide (TiO_2). Metallic nanoparticles are most promising and remarkable biomedical agents. Materials at the nanometer dimension are not new. NPs are common in nature, for example, life depends on many nanoscaled objects, including proteins, enzymes and DNA, and nanosized particles occur naturally in the atmosphere. Nanoparticles display unique physical and chemical features because of effects such as the quantum size effect, mini size effect and surface effect. Natural sources of nanoparticles include fires and volcanic eruptions. The nanotechnology have short to long term uses like environmental pollution cleanup, efficient and safe drug delivery mechanisms with less side effects, developments in information technology, self cleaning window glass, ‘smart’ fabrics which adjust to suit the temperature. Some of these technologies have already been adopted. Striving for alternative and cheaper pathways for nanoparticles synthesis, scientists contributed to the development of a relatively new and largely unexplored area of research based on the biosynthesis of nanomaterials [1] Utilizing a biological source gives an easy approach, easy multiplication, and easy increase of biomass and size uniformity

* To whom correspondence be made:
E-mail: vvraophd@gmail.com

antibiotic resistance is the world's major public healthcare problem. Ultra small particles (USPs, size/diameter <10 nm), so-called "ultra small nanoparticles" are reviewed [2] Applications of NPs in medical field already explored [3, 4, 5, 6]. Scientists are looking for longer-term applications including design of additional 'smart' materials such as food packaging which changes color when the 'use by' date of its contents expires. Titanium dioxide (TiO_2) is a material of great significance in many fields, e.g., photo catalysis, solar cell devices, gas sensors, and biomaterials. The non toxic and biocompatible properties of Titania find its applications in biomedical sciences such as bone tissue engineering as well as in pharmaceutical industries. In medical applications the titanium pins are due to because of their non-reactive nature when contacting bone and flesh. The TiO_2 NPs are synthesized using various methods such as sol gel, plants, hydrothermal, flame combustion, solvothermal, fungal mediated biosynthesis etc. Recently the microorganisms such as *Lactobacillus* sp. and *Saccharomyces cerevisiae* are used for the synthesis of TiO_2 nanoparticles [7]. As with any other man-made materials, both *in vitro* and *in vivo* studies on biological effects of NPs need to be performed. *In vitro* model systems provide a rapid and effective means to assess NPs for a number of toxicological endpoints. They also allow development of mechanism-driven evaluations and provide refined information on how NPs interact with human cells in many ways. Such studies can be used to establish concentration-effect relationships and the effect-specific thresholds in cells. These assays are suited for high-throughput screening of an ever increasing number of new engineered nanomaterials obviating the need for *in vivo* testing of individual materials. NT is important in developing sustainable technologies for the future, for humanity and the environment. There is a growing need to develop environmentally friendly processes through green synthesis and other biological approaches.

IMPORTANCE OF THE STUDY

Presently available literature revealed that the metal NPs synthesis using plants, microorganisms and algae as source has been unexplored and underexploited. Resistance to antimicrobial agents by pathogenic bacteria has emerged in recent years and is a major health problem. The

development of green processes for the synthesis of NP is evolving into an important branch of green nanotechnology. Plants have evolved in the presence of natural nanomaterials. The reason for selecting plant for Biosynthesis is because they contain reducing agents like citric acid, ascorbic acids, flavonoids, reductases and dehydrogenases and extracellular electron shuttlers that may play an important role in biosynthesis of metal nanoparticles [8, 9]. Physicochemical properties of nanomaterials, biological effects. The unusual physicochemical properties of engineered nanomaterials are attributable to their small size (surface area and size distribution), chemical composition (purity, crystallinity, electronic properties etc.), surface structure (surface reactivity, surface groups, inorganic or organic coatings etc.), solubility, shape and aggregation. Shape of the NPs has been shown to have a pronounced effect on the biological activity. Reactive oxygen species (ROS), due to their high chemical reactivity can react with DNA, proteins, carbohydrates and lipids in a destructive manner causing cell death either by apoptosis or necrosis. The most frequently affected macromolecules are those genes or proteins, which have roles in oxidative stress, DNA damage, inflammation or injury to the immune system. However, the probability of plant exposure to nanomaterials has increased to a greater extent with the ongoing increasing production and use of engineered nano materials in a variety of instruments and goods. Plant mediated synthesis of metal NPs is gaining more importance owing to its simplicity, rapid rate of synthesis of TiO_2 NPs of attractive and diverse morphologies and elimination of elaborate maintenance of cell cultures and ecofriendliness.

SIGNIFICANCE AND SYNTHESIS OF TiO_2 NPS PARTICLES

The reason for selecting plant for biosynthesis is because they contain reducing agents like citric acid, ascorbic acids, flavonoids, reductases and dehydrogenases and extracellular electron shuttlers that may play an important role in biosynthesis of metal nano particles [10]. They life span of metal nanoparticles and speed up the rate of synthesis in comparison to microorganism's. Depending on the origin we can distinguish three types of NPs: natural incidental and engineered. Natural NPs have existed from earth formation and still occur in the environment in volcanic dusts

and mineral composites. The general procedure using plants to produce metallic nanoparticles employs the dried biomass of the plants and a metallic salt, as bioreducing agent and precursor, respectively. *No correlation is observed between the color development and increase in abundance exhibited by the synthesized nano metal.* The green synthesis of NPs involves three main steps, including (a) selection of solvent medium, (b) selection of environmentally benign reducing agent, and (c) selection of nontoxic substances for the NPs synthesis [11]. Studies have shown that the size, morphology, stability and properties (chemical and physical) of the metal nanoparticles are strongly influenced by the condition of experiment, the kinetics of interaction of metal ions with reducing agents, and adsorption processes of stabilizing agent with metal nanoparticles [12]. Different materials can be used to make these nanoparticles, such as metal oxide ceramics, silicates, magnetic materials, liposomes, dendrimers, emulsions and etc [13]. Several scientists already synthesized green route of TiO₂ NPs using *Aspergillus tubingensis* [14]. A novel, low-cost, green and reproducible bacteria, *Aeromonas hydrophila* [15], using microorganisms [16], *Annona squamosa* peel extract [17], *Eclipta prostrata* leaf aqueous extract [18].

FACTORS AFFECTING BIOSYNTHESIS OF NANOPARTICLES

Nature has elegant and ingenious ways of creating the most efficient miniaturized functional materials. In attempts to create miniaturized structures, significant achievements have been achieved and structures of micron and nano-dimensions can now be routinely fabricated though the complexity manifested by the nature is yet a distant goal. The most important challenge in nanotechnology today is to cost effectively tailor the optical, electric and electronic property of NPs by controlling the configuration as well as monodispersity. Synthesis of nano materials with the required quality and desired properties are one of the important issues in present green nanotechnology. Different kinds of NPs can be successfully synthesized by traditionally chemical and physical methods. Temperature plays an important role to control the aspect ratio and relative amounts of gold nanotriangles and spherical nanoparticles. pH of the medium also influences the size of nanoparticles at great

concern. Other than pH and temperature other factors like concentration of extract also play role in NP synthesis and reduction process of ions into metallic nano.

ACTIVITIES OF NPS

Solanum trilobatum extract-mediated synthesis of titanium dioxide nanoparticles to control *Pediculus humanus capitis*, *Hyalomma anatolicum* and *Anopheles subpictus* [19], *Chlamydomonas reinhardtii*, [20], Titanium [21, 22, 23, 24], *Candida albicans* [25], *E. coli* [26].

CHARACTERIZATION OF NPS

Characterization of nanoparticles is important task to understand and control over nanoparticles synthesis and applications and it can be done using developed and sophisticated techniques such as transmission and scanning electron microscopy (TEM, SEM), atomic force microscopy (AFM), dynamic light scattering (DLS), X-ray photoelectron spectroscopy (XPS), powder X-ray diffractometry (XRD), Fourier transform infrared spectroscopy (FTIR), and UV-Vis spectroscopy [27]. The TiO₂ NPs were characterized by FTIR, XRD, AFM and FESEM with EDX.

SEPARATION AND PURIFICATION OF NPS

Capillary magnetic field flow fractionation (MFFF) was described by [28] demonstrates that magnetic NPs can be separated not only according to size but also on material composition, HPLC and size exclusion chromatography [29,30]. NPs are successfully separated gold [31]. NPs and another important approach is centrifugation is used widely in colloid science now and Membrane filtration.

BIOCOMPATIBILITY OF NPS

They also serve as well defined systems for studying the structure-activity relationships involving nanomaterials. Some of the distinct advantages of *in vitro* systems using various cell lines include; (1) revelation of primary effects of target cells in the absence of secondary effects caused by inflammation; (2) identification of primary mechanisms of toxicity in the absence of the physiological and compensatory factors that confound the interpretation of whole animal studies; (3) efficiency, rapidity and cost-effectiveness; The cytotoxic effects for almost all

kinds of metallic, metal oxide, semiconductor NPs, polymeric NPs and carbon based nanomaterials etc. have been reported. For establishing 'safe' nanotechnology it would be necessary to prove non-genotoxic nature of the nanomaterials in question. Several genotoxicity assays can be carried out *in vitro*. *In vitro* cytotoxicity studies of metallic NPs using cell lines, incubation times and colorimetric assays with different nanomaterials are increasingly being published and the techniques that can be used to assess the toxicity of nanomaterials include (1) *in vitro* assays for cell viability/proliferation using MTT, LDH assay [32,33], mechanistic assays ROS generation, apoptosis, necrosis, DNA damaging potential using ROS assay [34,35] (2) microscopic evaluation of intracellular localization include SEM-EDS, TEM, AFM, Fluorescence spectroscopy, MRI, VEDIC microscopy (3) gene expression analysis, high-throughput systems (4) *in vitro* hemolysis and (5) genotoxicity etc. The NPs are tested for biocompatibility for pulmonary [36], erythrocytes [37], endothelial cells for cardiovascular disease [38], Ovarian Cancer [39, 40], in animals spleen injury, lung inflammation [41], mouse embryonic fibroblasts [42], human monocytes [43,44], human spermatozoa [45], murine glioma cells [46], ocular use [47].

APPLICATIONS

Nanotechnology is a field that is mushrooming, making an impact in all spheres of human life. During the current scenario nanotechnology motivates progress in all sphere of life, hence biosynthetic route of nanoparticles synthesis will emerge as safer and best alternative to conventional methods. Recently *Sesbania* Gum is used to prepare metal NPs and it is a new idea, green and low cost approach for synthesis nanoparticles [48]. TiO_2 nanoparticles (TiO_2 -NPs), approximately less than 100 nm in diameter, have become a new generation of advanced materials due to their novel and interesting optical, dielectric, and photo-catalytic properties from size quantization. photo catalyst and widely utilized as a self-cleaning and self disinfecting material for surface coating in many applications, titanium dioxide has a more helpful role in our environmental purification due to its nontoxicity, photo induced super-hydrophobicity and antifogging effect Though various biological entities have been exploited for the production of

nanoparticles, the use of plants for the facile robust synthesis of nanoparticles is a tremendous. The use of nanoparticles for biomedical applications, such as drug, delivery, biosensors, cancer treatment, has been extensively studied throughout the past decade [49, 50, 51, 52, 53], Toxicity of silver and other NPs are not fully understood even it is using from long time. Very recently, nanoparticles have gained significance in the field of Biomedicine. Plants and plant extracts can be effectively used in the synthesis of gold AgNPs and others as a greener route. Shape and size control of nanoparticles is easily understood with the use of plants. The nanoparticles extracted from plants are used in many applications for benefit of humans. Metal nanoparticles are applied in biology as biosensors in protein detection [54] labeling agents [55] and cancer therapeutics [56]. Titanium is widely used in hip and joint implants and is biocompatible because it spontaneously forms a protective oxide thin film (TiO_2 coating, typically 4–6 nm thin) at its surface. It is reported that nanoscale coating creates a conditioned interface for osteoblast and chondrocyte adhesion [57-60] and promotes the osteointegration and bone mineralization *in vivo* [61].

The Green chemistry synthetic route can be employed for both silver and gold silver nanoparticles synthesis.

CONCLUSION

The "green" route for nanoparticle (NP) synthesis is of great interest due to eco-friendliness, economic prospects, and feasibility and wide range of applications in nanomedicine, new category catalysis medicine, nano-optoelectronics, etc. It is a new and emerging area of research in the scientific world, where day-by-day developments is noted in warranting a bright future for this field. This green chemistry approach toward the synthesis of TiO_2 and others have many advantages such as, ease with which the process have economic viability, etc. The characterization analysis proved that the particle so produced in nano dimensions would be equally effective as that of antibiotics and other drugs in pharmaceutical applications. The ongoing research efforts are focussed on evaluating the safety of nanomedicine and formulating the international regulatory guidelines for the same, which is critical for technology advancement. With vast technology

push, there are many challenges ahead that need to be understood and solved in order to make the NP-based products commercially viable. This paper has reviewed recent knowledge and built a data base of bioreductive approaches to titanium oxide (TiO₂) NPs using different biological systems. The present review highlights the current knowledge regarding the potential sources for biosynthesis of these NPs and presents a database that future researchers can build upon. Presently, the researchers are looking into the development of cost-effective procedures for producing reproducible, stable and biocompatible metallic NPs from bioresources.

References

- [1] Mohanpuria P, Rana KN, Yadav SK, Biosynthesis of nanoparticles: technological concepts and future applications, *J. Nanopart. Res*, 10, **2008**,507-517.
- [2] Oxana V. Kharissova, Boris I. Kharisov, Victor Manuel Jiménez-Pérez, Blanca Muñoz Flores, Ubaldo Ortiz Méndez, Ultrasmall particles and nanocomposites: state of the art, *RSC Adv*, **3**: **2013**, 22648-22682.
- [3] Guannan Wang, Xingguang Su, The synthesis and bio-applications of magnetic and fluorescent bifunctional composite nanoparticles, *Analyst*, 136, **2011**,1783-1798 .
- [4] Julien Nicolas, Simona Mura, Davide Brambilla, Nicolas Mackiewicz, Patrick Couvreur, Design, functionalization strategies and biomedical applications of targeted biodegradable/biocompatible polymer-based nanocarriers for drug delivery, *Chem. Soc. Rev*, 42, **2013**,1147-1235.
- [5] Rochelle R. Arvizo, Sanjib Bhattacharyya, Rachel A. Kudgus, Karuna Giri, Resham Bhattacharya, Priyabrata Mukherjee, Intrinsic therapeutic applications of noble metal nanoparticles: past, present and future, *Chem. Soc. Rev*, 41, **2012**, 2943-2970.
- [6] Ankamwar B, Chaudhary M, Sastry M, Gold Nanotriangles Biologically Synthesized Using Tamarind Leaf Extract and Potential Application in Vapor Sensing. Synthesis and Reactivity in Inorganic and Metal, *Organic Chemistry*, 35, **2005**,19-26.
- [7] Malarkodi C, Chitra K, Rajeshkumar S, Gnanajobitha G, Paulkumar K, Vanaja M , Annadurai G, Novel eco-friendly synthesis of titanium oxide nanoparticles by using *Planomicrobium* sp. and its antimicrobial evaluation, *Der Pharmacia Sinica*,4(3), **2013**, 59-66.
- [8] Varahalarao Vadlapudi, Kaladhar DSVGK, Review: Green synthesis of silver and gold nanoparticles, *Middle-East Journal of Scientific Research*, **2014**, 19 (6), 2014, 834-842.
- [9] Varahalarao Vadlapudi, Kaladhar DSVGK, Mohan behara, kishore Naidu G, Sujatha B (. Synthesis of green metallic Nanoparticles (NPs) and applications, *Oriental journal of chemistry*, **29(4)**, **2013**,1589-1595.
- [10] Sunil Pandey, Goldie Oza, Ashmi Mewada, Madhuri Sharon, Green Synthesis of Highly Stable Gold Nanoparticles using *Momordica charantia* as Nano fabricator, *Archives of Applied Science Research*, 2, **2012**, 1135-1141.
- [11] Fierascu R C, Ion R M, dumitriu I, Noble metals nanoparticles synthesis in plant extracts, *Optoelectronics and advanced materials rapid communications*, 4, 2010, 297 – 1300.
- [12] Knoll B, Keilmann F, Near-field probing of vibrational absorption for chemical microscopy, *Nature*. 399, **1999**, 134.
- [13] Holister P, Weener JW, Román CV, Harper T, *Nanoparticles.Technol. White Papers*, 3, 2003, 1-11.
- [14] Tarafdar, Ayon, Raliya, Ramesh, Wang, Wei-Ning, Biswas, Pratim, Tarafdar, J. C). *Advanced Science, Engineering and Medicine*, 5(9), **2013**, 943-949(7).
- [15] Jayaseelan C, Rahuman AA, Roopan SM, Kirthi AV, Venkatesan J, Kim SK, Iyappan M, Siva C (. Biological approach to synthesize TiO₂ nanoparticles using *A. hydrophila* and its antibacterial activity, *Spectrochim Acta A Mol Biomol Spectrosc*, 15, **2013**, 107: 82-89.
- [16] Jha AK, Prasad K, Kulkarni AR, Synthesis of TiO₂ nanoparticles using microorganisms. *Colloids Surf B Biointerfaces*, 71(2), **2009**, 226-229.
- [17] Roopan SM, Bharathi A, Prabhakarn A, Rahuman AA, Velayutham K, Rajakumar G, Padmaja RD, Lekshmi M, Madhumitha G, Efficient phyto-synthesis and structural characterization of rutile TiO₂ nanoparticles using *Annona squamosa* peel extract, *Spectrochim Acta A Mol Biomol Spectrosc*, 98, **2012**,86-90.
- [18] Rajakumar G, Abdul Rahuman A, Priyamvada B, Gopiesh Khanna V, Kishore Kumar D., Sujin PJ, *Eclipta prostrata* leaf aqueous extract mediated synthesis of titanium dioxide nanoparticles, *Materials Letters*, 68, **2012**, 115–117.
- [19] Rajakumar G, Rahuman AA, Jayaseelan C, Santhoshkumar T, Marimuthu S, Kamaraj C, Bagavan A, Zahir AA, Kirthi AV, Elango G, Arora P, Karthikeyan R, Manikandan S, Jose S, *Solanum trilobatum* extract-mediated synthesis of titanium dioxide nanoparticles to control *Pediculus humanus capitis*, *Hyalomma anatolicum* and *Anopheles subpictus*. *Parasitol Res*, 113(2), **2014**, 469-79.
- [20] Chen L, Zhou L, Liu Y, Deng S, Wu H, Wang G, Toxicological effects of nanometer titanium dioxide (nano-TiO₂) on *Chlamydomonas reinhardtii*. *Ecotoxicol Environ Saf*, 84, **2012**, 155-62.
- [21] Ionita D, Grecu M, Ungureanu C, Demetrescu I, Antimicrobial activity of the surface coatings on TiAlZr implant biomaterial, *J Biosci Bioeng*, 112(6), **2011**,630-644.
- [22] Cheng H, Li Y, Huo K, Gao B, Xiong W, Long-lasting *In vivo* and *In vitro* antibacterial ability of nanostructured titania coating incorporated with silver nanoparticles, *J Biomed Mater Res A*, Nov 1. **2013**, doi: 10.1002/jbm.a.35019.
- [23] Naik K, Chatterjee A, Prakash H, Kowshik M (. Mesoporous TiO₂ nanoparticles containing Ag ion with excellent antimicrobial activity at remarkable low silver concentrations, *J Biomed Nanotechnol*, 9(4), **2013**, 664-673.

- [24] Aminedi R, Wadhwa G, Das N, Pal B, Shape-dependent bactericidal activity of TiO₂ for the killing of Gram-negative bacteria *Agrobacterium tumefaciens* under UV torch irradiation, *Environ Sci Pollut Res Int*, 20(9), **2013**, 6521-6530.
- [25] Naik K, Chatterjee A, Prakash H, Kowshik M, Mesoporous TiO₂ nanoparticles containing Ag ion with excellent antimicrobial activity at remarkable low silver concentrations, *J Biomed Nanotechnol*, 9(4), **2013**, 664-73.
- [26] Morteza Haghi, Mohammad Hekmatafshar, Mohammad B. Janipour, Saman Seyyed, gholizadeh, Mohammad kazem Faraz, Farzad Sayyadifar, Marjan Ghaedi, Antibacterial effect of TiO₂ nanoparticles on pathogenic strain of *E. coli*, *International Journal of Advanced Biotechnology and Research*, 3(3), **2012**, 621-624.
- [27] Sena M, Gao X, Designing multifunctional quantum dots for bioimaging, detection, and drug delivery. *Chem. Soc. Rev*, 39, 2010, 4326–4354.
- [28] Jimenez VL, Leopold MC, Mazzitelli C et al , HPLC of monolayer-protected gold nanoclusters, *Anal Chem*, 75, **2003**, 199–206.
- [29] Wilcoxon JP, Martin JE, Provencio P, Size distributions of gold nanoclusters studied by liquid chromatography, *Langmuir*, 16, **2000**, 9912–9920.
- [30] Siebrands T, Giersig M, Mulvaney P, Fischer CH. Steric exclusion chromatography of nanometer-sized gold particles, *Langmuir*, 9: 2297–2300, (**1993**).
- [31] Kirkland JJ, High-performance size-exclusion liquid-chromatography of inorganic colloids, *J Chromatogr*. 185, **1979**, 273–288.
- [32] Bansal V, Chaudhary M, Basu A, Bhonde RR, Sastry M, Biocompatibility of gold NPs and their endocytotic fate inside the cellular compartment: a microscopic overview, *Langmuir*, 21(23), **2005**, 10644-10654.
- [33] Fan JH., Hung WI, Li WT, Yeh J M, Biocompatibility Study of Gold NPs to Human Cells, 13th International Conference on Biomedical Engineering, *IFMBE Proceedings*, 23, **2009**, 870-873.
- [34] Analytical methods to assess nanoparticle toxicity, Marquis BJ, Love SA, Braun KL, Haynes CL, *Analyst*, 134(3), **2009**, 425-439.
- [35] Wahab R, Siddiqui MA, Saquib Q, Dwivedi S, Ahmad J, Musarrat J, Al-Khedhairy AA, Shin HS, ZnO NPs induced oxidative stress and apoptosis in HepG2 and MCF-7 cancer cells and their antibacterial activity, *Colloids Surf B Biointerfaces*, 117C, **2014**, 267-276.
- [36] Jones MC, Jones SA, Riffo-Vasquez Y, Spina D, Hoffmann E, Morgan A, Patel A, Page C, Forbes B, Dailey LA, Quantitative assessment of nanoparticle surface hydrophobicity and its influence on pulmonary biocompatibility, *J Control Release*, **2014**, pii: S0168-3659(14)00167-9.
- [37] Palanivelu R, Ruban Kumar A, *In vitro* anti-proliferative and hemolytic activities are carried out on the synthesized HAP samples and the studies reveals that HAP have mild activity against erythrocytes, *Spectrochim Acta A Mol Biomol Spectrosc*, 127C, **2014**, 434-438.
- [38] Liu X, Sun J, Potential proinflammatory effects of hydroxyapatite NPs on endothelial cells in a monocyte-endothelial cell coculture model, *Int J Nanomedicine*, (9)**2014**, 1261-73.
- [39] Javid A, Ahmadian S, Saboury AA, Kalantar SM, Rezaei-Zarchi S, Shahzad S, Biocompatible APTES-PEG Modified Magnetite NPs: Effective Carriers of Antineoplastic Agents to Ovarian Cancer. *Appl Biochem Biotechnol*, **2014** Mar 11. [Epub ahead of print]
- [40] Vecchio G, Fenech M, Pompa PP, Voelcker NH, Lab-on-a-Chip-Based High-Throughput Screening of the Genotoxicity of Engineered *Nanomaterials*, *Small*, **2014**, Mar 7.
- [41] Magaye RR, Yue X, Zou B, Shi H, Yu H, Liu K, Lin X, Xu J, Yang C, Wu A, Zhao J Acute toxicity of nickel NPs in rats after intravenous injection, *Int J Nanomedicine*, 9, **2014**, 1393-1402.
- [42] Lee YH, Cheng FY, Chiu HW, Tsai JC, Fang CY, Chen CW, Wang YJ, Cytotoxicity, oxidative stress, apoptosis and the autophagic effects of silver NPs in mouse embryonic fibroblasts, *Biomaterials*, 35(16), **2014**, 4706-15.
- [43] Sahu D, Kannan GM, Vijayaraghavan R, size-dependent effect of zinc oxide on toxicity and inflammatory potential of human monocytes, *J Toxicol Environ Health. A*. 77(4), **2014**, 177-91.
- [44] Jeannet N, Fierz M, Kalberer M, Burtscher H, Geiser M, Nano Aerosol Chamber for In-Vitro Toxicity (NACIVT) studies, *Nanotoxicology*, **2014** Feb 20. [Epub ahead of print] PMID: 24552156
- [45] Barkhordari A, Hekmatimoghaddam S, Jebali A, Khalili MA, Talebi A, Noorani M, Effect of zinc oxide NPs on viability of human spermatozoa, *Iran J Reprod Med*, ep;11(9), **2013**, 767-7
- [46] Grudzinski IP, Bystrzejewski M, Cywinska MA, Kosmider A, Poplawska M, Cieszanowski A, Fijalek Z, Ostrowska A. Comparative cytotoxicity studies of carbon-encapsulated iron NPs in murine glioma cells, *Colloids Surf B Biointerfaces*, 117C, **2014**, 135-143.
- [47] Hermans K, Van Den Plas D, Schreurs E, Weyenberg W, Ludwig A, Cytotoxicity and anti-inflammatory activity of cyclosporine A loaded PLGA NPs for ocular use, *Pharmazie*, **2014**, 69(1): 32-37.
- [48] Feng Xuejiao, XU Shuping, XU Weiqing. Green Synthesis of Metal Nanoparticles by *Sesbania Gum*, (www.paper.edu.cn/en_releasepaper/content/4494459).
- [49] Lee JH, Huh YM, Jun Yet al, Artificially engineered magnetic nanoparticles for ultra-sensitive molecular imaging, *Nature Med*, 13, **2006**, 95–99.
- [50] Thomas CR, Ferris DP, Lee JH et al , Noninvasive remote-controlled release of drug molecules in vitro using magnetic actuation of mechanized nanoparticles. *J. Am. Chem Soc*, 132, **2010**, 10623–10625.
- [51] Neuberger T, Schopf B, Hofmann H, Hofmann M ,von Rechenberg B, Superparamagnetic nanoparticles for biomedical applications: possibilities and limitations of a new drug delivery system, *J. Magn. Magn. Mater*, 293, **2005**, 483–496.
- [52] Qian. XM, Peng XH, Ansari DO et al, *In vivo* tumor targeting and spectroscopic detection with surface-enhanced Raman nanoparticle tags, *Nat. Biotech*, 26, **2008**, 83–90.

- [53] Bai X, Son SJ, Zhang SX, et al, Synthesis of superparamagnetic nanotubes as MRI contrast agents and for cell labeling, *Nanomedicine*, 3, **2008**, 163–174.
- [54] Tkachenko AG, Xie H, Coleman D, Glom W, Ryan Anderson M F, Franzen S, Fieldheim D L (). Multifunctional gold nanoparticle-peptide complexes for nuclear targeting, *J. Chem. Soc.*, 125, **2003**, 4700-4701.
- [55] Hirsch L R, Stafford R J, Bankson J A, Sershen S R, Rivera B, Price R E, Hazle J D, Halas N J, West J L, Nanoshell-mediated near-infrared thermal therapy of tumors under magnetic resonance guidance, *PNAS*, 100, **2003**, 13549-13554.
- [56] Cheong S, Watt JD, Tilley RD, Shape Control of Platinum and Palladium Nanoparticles for Catalysis, *Nanoscale*, 2, **2003**, 2045-2053.
- [57] Boyan BD, Hummert TW, Dean DD, Schwartz Z, Role of material surfaces in regulating bone and cartilage cell response, *Biomaterials*, 17(2), **1996**, 137–146.
- [58] Burns K, Yao C, Webster T J, Increased chondrocyte adhesion on nanotubular anodized titanium, *Journal of Biomedical Materials Research—Part A*, 88,(3), **2009**, 561–568.
- [59] Li X, Fan Y, Watari F, Current investigations into carbon nanotubes for biomedical application, *Biomedical Materials*, 5(2), **2010**, Article ID 022001.
- [60] Li X, H. Gao H, Uo M, et al., Effect of carbon nanotubes on cellular functions *In vitro*. *Journal of Biomedical Materials Research—Part A*, 91(1), **2009**, 132–139.
- [61] Li X, H. Gao H, Uo M, et al, Maturation of osteoblast-like Saos2 induced by carbon nanotubes, *Biomedical Materials*, 4 (1), **2009**, Article ID 015005.

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.