

Efficient File Sharing Using Gossiping Algorithm in Mobile Adhoc Network

K. L. S. Sindhu* and A. Meena Priyadarshini**

ABSTRACT

A P2P content-based file sharing system, in Mobile Ad-hoc Networks, is used to derive a node's interests from its files for content-based file searching. For file searching, the nodes which meet each other more frequently are considered as a community. For intracommunity file searching, nodes which meet neighboring nodes frequently are considered as community coordinators. Mobile nodes that visit other communities more frequently are considered as community ambassadors for intercommunity file searching. The gossiping algorithm is proposed which is based on pull and push mechanism, and gives time gap for each node to make an excellent relationship with ambassadors and coordinators. It avoids transmission transparency and also obtains efficient file sharing.

Index terms: MANETS, file sharing, community, intracommunity, intercommunity.

I. INTRODUCTION

The term MANET (Mobile Ad-hoc Network) alludes to a multihop bundle based remote system made out of an arrangement of versatile hubs that can convey and move in the meantime, without utilizing any kind of settled wired framework. MANET is self-sorting out and versatile systems that can be shaped and distorted on-the-fly without the need of any unified organization, a position for "Multipurpose Ad Hoc Network" is determined. A MANET is a kind of specially appointed system that can change areas and arrange itself on the fly. Since MANETS are portable, they utilize remote association's dissimilar different systems. It can be an ordinary Wi-Fi association, or another medium, for example, a cell or satellite transmission. The P2P file sharing model makes major networks good thing instead of a problem, in which nodes can share the content with each other without any centralized server directly. Wired P2P file sharing systems have become well liked, accepted and popular for file sharing among many users. The fruitful utilization of P2P record sharing frameworks and the obstructions to document partaking in MANETs make the P2P document sharing over MANETs a promising supplement to current base model to acknowledge pervasive record sharing for versatile clients. As the portable computerized gadgets are conveyed by individuals that for the most part have a place with certain social connections, it concentrates on the P2P record sharing in a MANET group consisting of versatile clients with interpersonal organization properties. In such a document sharing framework, hubs meet and trade demands and records in the configuration of content, short recordings, and voice cuts in various interest classes. A normal situation is a course material (e.g., course slides, audit sheets, assignments) sharing framework in a school grounds. Such a situation guarantees for the most that nodes having the similar hobbies, convey comparing records (i.e., math documents), and meet frequently (i.e., going to math classes). Interpersonal organizations are misused to encourage content dissemination/publishing in disconnected MANETs. These techniques abuse beneath property to enhance the effectiveness of message sending: (P1) clear movements pattern are exhibited by nodes (e.g., local

* Student, M.Tech Computer Science and Engineering, Department of Computer Science and Engineering, SRM University, Kattankulathur-603203, Chennai, India, *E-mail: Saisindhu16@gmail.com*

** Assistant Professor (O.G), Department of Computer Science and Engineering, SRM University, Kattankulathur-603203, Chennai, India, *E-mail: Meenapriyadarsini.a@ktr.srmuniv.ac.in*

gathering, diverse centralities, and skewed visiting preferences). Only for the dissemination of information to subscribers, these methods are used. But these are not particularly used for file sharing. Also, they do not make note of other properties of social networks for content sharing. (P2) Some file interests are usually considered by the users who visit more frequently. (P3) Users often meet each other having common interests. Depending on P2, an interest extraction algorithm is used to obtain node's interests from its files. Queries in content-based file sharing facilitate according to interest. A collection of nodes that often meet and share a common interest are considered as a community. According to P3, a node has more frequency to find interested files in its community. If it fails, based on P1, the node depends on nodes that often meet other communities for file searching. So, the community construction algorithm is constructed to make communities for efficient file retrieval. According to P1, a node role assignment algorithm is used for efficient file searching using node mobility. The algorithm designates a Node with more connections with other nodes in its community. Community coordinators are used for intracommunity file searching. A node that often meets to other communities is considered as the community ambassador for intercommunity searching. Interest-oriented file searching and retrieval information use an interest-oriented routing algorithm (IRA). Based on P3, IRA selects a node that forwards file by considering the chance of meeting keywords instead of nodes. The file searching consists of two parts: Intracommunity and intercommunity searching. Before, a node first queries nodes which are nearby and then depends on the coordinator to find within home community. If it fails, the intercommunity searching is used to send the query to a matched foreign community. A required file is sent back through IRA.

II. RELATED WORK

Peer-to-peer (P2P) file sharing system in mobile ad hoc networks (MANET) need the creation of algorithm for searching purpose, for transmitting queries and search results for the development of a transfer protocol and downloading files which match a query. A particular system for searching and file transfer is adapted to the characteristics of MANET, and the requirements of file sharing are proposed. It is based on an application layer overlay network. As a new method, overlay routes are used on demand by the search algorithm, network topology which is closely matched and aggregating redundant transfer paths on a file basis. The utilization of transfer protocol assures low transmission overhead and a high probability of successful downloads by overlay routes. [1] With the quickly expanding selection of more intense remote empowered individual cell phones, clients are confronting new open doors and difficulties in making associations with different clients keeping in mind the end goal to share pertinent information. This is particularly genuine, given the dynamic way of potential associations between typical portable clients. Peer-to-peer applications have set up themselves as a famous and effective strategy for information sharing in static environments, and our examination is inspecting the issues included in peer-to-peer application organizations for element portable ad-hoc environments. The common setting of direct neighborhood closeness between peer gadgets combined with client inclinations as a connection for information filtering gives an intense component to changing and sharp information trade. Peer-to-peer protocols can be effectively executed in a versatile impromptu environment, so as to empower information sharing applications. It is about the issues included in the configuration and usage of portable organizations of peer-to-peer applications, and these methodologies in a information sharing application for Bluetooth-enabled mobile users are represented.[2] Content-based service, which progressively courses and conveys information from sources to particular clients, is critical to network services. Notwithstanding, existing content-based conventions for static systems will acquire exorbitant upkeep costs on the off chance that they are connected specifically to the exceedingly versatile environment that is included in disruption tolerant systems (DTNs). A novel publish/subscribe plan that uses the long haul informal community properties, which are seen in numerous DTNs, to encourage content-based services in DTNs is proposed. Distributive develop groups based on the neighboring connections from hubs' experience histories. Representatives are sent to connect the groups, and they embrace a privately organized plan which joins the auxiliary significance with membership hobbies, to choose what occasions

they ought to gather, store, and spread. Diverse exchange offs for content-based service can be accomplished by tuning the closeness limit in group arrangement or by modifying the specialist to-agent correspondence plan. Broad genuine follow and manufactured follow driven reenactment results are introduced to bolster the viability of our plan [3] In Wi-Fi based content distribution community infrastructure (CDCI), file servers are conveyed in assorted areas around urban communities, caching prominent files fascinating to a community. They serve file download demands from portable clients in closeness using Wi-Fi. It mainly concentrates on the optimal caching strategy for file storage in CDCI so that the mean file recovery likelihood inside of due date is boosted, subject to limit capacity limitations of every file server. The optimal caching strategy relies on upon numerous variables, for example, clients' portability designs, access point topology, file prominence, and so on. They have formalized this content administration issue as a blended whole number enhancement issue. Due to NPhardness and a substantially variable space of this improvement issue, a heuristic algorithm MobaSsign to assign file squares is proposed. Broad investigations demonstrate that our heuristic caching strategy considering portability designs enhances the file recovery likelihood inside of due date.[4]

III. PROPOSED SYSTEM

A P2P MANET file sharing system mainly consists of three important steps 1) a policy to signify the file content, 2) Management of the node structure, and 3) a method for searching the file based on step 1 and 2. Accordingly, content-based file sharing has three important components: 1) interest extraction, 2) construction of the structure includes assignment of the node, and community construction 3) interest-oriented file searching and retrieval depending on components 1 and 2.

(A) Network User

In this step, the Network User should register in a community after registration authorization is done through username and password. After login, some tasks like browse, upload, assign energy for nodes, assign distance and download files from the different community can be performed. The user will browse a file and upload to the particular community; if the file is present, then the response is given to the user. And also, the user can download files from the other communities.

(B) Coordinate Router

In this step, the coordinate router mainly consists of communities, in community n numbers of nodes are present ($n_1, n_2, n_3, n_4, n_5 \dots$). The user should request the file to coordinate router then coordinate router will connect to communities and the data file will be sent to the user. And also, the user can view the files and view the registered users. The user has to request data file to coordinate router then it will connect to all communities and file will be sent to the particular user.

(C) Community

In a coordinate router, different communities are present. In community n numbers of nodes are present. The user can view energy, view distance and view the malicious nodes in a community. The user will assign the distance for nodes and assign energy for nodes then it will store in a community. The user should request the file to coordinate router then coordinate router will connect to communities and in community all nodes are activate then it will search the file, if the file is not found, then it will connect to another community and the data file will be sent to the user. If any malicious node is found in a community and it will connect to another node.

(D) Attacker

The attacker is one who is integrating the file by adding malicious data to the corresponding node. The attacker information is stored in a community with their tags such as attacker name, malicious node, energy,

attacked IP address, time, and date. If any network user enters a mistaken secret key, then the user will consider it as an attacker.

The whole procedure is illustrated as below:




Figure 1: Architecture Diagram

The procedure that extricates the overall flow of control for finding the file in the community is shown in the Fig. 2. The diagram explains the step by step procedure for file searching in an efficient way. The user enters the corresponding file details and connects to the coordinator router. Applying the file sharing technique it will search for the data if data is present then it will retrieve the data and forward to the end user.




Figure 2: Data-Flow Diagram

IV. IMPLEMENTATION

Each and every node consists of the history vector which keeps the record of the interested keywords. V_{dest} determines the destination of a particular request, which is represented by a vector. Fitness Factor F is used by a node to calculate the neighbors' chance of meeting the file holder. If the neighbor node consists of a message with higher F value than its own F value, then it forwards the message to a neighbor. Every query indicates the number of hops which is linked with the counter (count). The count is decremented by one after each forwarding. In this method, the requester calculates the comparison between the query vector and the community vector of the community it belongs to. If $Sim(v_Q, v_C) < T_s$, the query is sent to the coordinator of the community directly. This means that a requester first searches nearby nodes within count hops, and then resorts to its community coordinator. The following explains the algorithm:

Intracommunity File Searching Algorithm for a query Q initiated by node N_i

IntraSearchForQ ()

If a neighboring node, say N_b consists of the queried file then

$N_i.sendQueryTo(Q, N_b).$

Else if query Q originated from source node N_i then

If $Sim(v_q, VC) \geq T_s$ then

$Q.v_{dest} = v_q$

$N_i.rankNbbyfitness()$

OverallF = 0

For each neighbor N_b of node N_i

Do

Overall+=Func (Q, Nb)

$N_i.sendQueryTo(Q, Nb)$

If overallF exceeds limit then

Break.

Else

$Q.v_{dest} = v_q$

$N_i.sendThroughIRATo(Q, N_c)$

Else

If $Q.hops \geq MaxHop$ then

$Q.v_{dest} = v_{Nc}$

$N_i.sendThroughIRATo(Q, N_c)$

Else

$Q.v_{dest} = v_q$

$N_i.rankNbbyfitness()$

$N_b =$ neighbor with highest fitness

$N_i.sendQueryTo(Q, Nb)$

Intercommunity File Searching Algorithm for Query Q .

InterSearchForQ ()

if N_i is an ambassador then

```

Let  $N_j$  be the node which  $N_i$  meets
If  $N_i$ .foreignCommunity =  $N_j$ .homeCommunity then
     $N_i$ .sendQueryTo ( $Q, N_j$ )
     $N_j$ .sendThroughIRATo ( $Q, N_c$ )
    If  $N_i$  is a coordinator then
        bcontain =  $N_i$ .hasFile ( $Q$ )
        if bContain = True then
             $N_i$ .sendQueryToDes ( $Q$ )
        Else
             $N_i$ .rankByMatch ()
            OverallS = 0
For each ambassador within the community
    Do
        n.sendQueryTo ( $q, N_A$ )
        OverallS+=sim ( $q.v_q, N_A.Vc$ )
        If overallS exceeds limit
            Break

```

A coordinator maps a request to the foreign community that is most likely to contain the queried file. Similar to the intracommunity search step, the coordinator also uses the multicopy forwarding strategy, i.e., it sends out a query to ambassadors having the highest similarity with the query to enhance the efficiency of the forwarding.

V. FUTURE WORK

The Gossiping algorithm is mainly used for sharing the file efficiently using the construction of community. In future work, we can try performing the file sharing system with some another algorithm which enhances the performance of the existing system more effectively.

VI. CONCLUSION

Interest extraction is mainly used for searching the nodes interests, community construction for collecting common interest nodes which often meet in a particular community, intracommunity search for searching the file within the community and intercommunity for searching in a foreign community are the techniques followed using the algorithm. The gossiping algorithm uses pull and push mechanism providing time gap for each node. Transmission overhead can be reduced and also get file sharing efficiently.

REFERENCES

- [1] A. Klemm, C. Lindemann, and O. Waldhorst, "A Special-Purpose Peer-to-Peer File Sharing System for Mobile Ad Hoc Networks,".
- [2] D.W.A. Hayes, "Peer-to-Peer Information Sharing in a Mobile Ad Hoc Environment,
- [3] F. Li and J. Wu, "MOPS: Providing Content-Based Service in Disruption-Tolerant Networks,".
- [4] Y. Huang, Y. Gao, K. Nahrstedt, and W. He, "Optimizing File Retrieval in Delay-Tolerant Content Distribution Community,".